

















DESIGNS that multiply THE BEAUTY of decor

























Factory: VPO Ismalia II-B, Kultana-Beri Road, Tehsil Sampla, Dist. Rohtak - 124501

Regd. Office: 712, Ring Road Mall, Sector - 3, Rohini, New Delhi - 110085 Tel.: 011-49044779

> Email- info@pioneerpanelproducts.com Web.: www.pioneerpanelproducts.com











Performance that wood would envy



Uniform and High Density: Pdecor Pre Laminated MDF boards are very compact with uniform fiber density throughout.

Their homogeneous construction makes them suitable for consistent applications.



Hot and Humid Environment Resistant: These boards are very durable with high resistance to adverse environments like heat and humidity. Their high resistance makes them suitable for all locations and applications such as kitchen cabinets, wall paneling on external walls etc



Super Smooth: Pdecor Pre Laminated MDF Boards have super smooth surfaces, making application of paint easier. The smooth surface, free from knots and foreign particles, is a perfect substrate for laminates or veneers.



Environment friendly: Pdecor Pre Laminated MDF is an eco friendly product and conforms to E2 Formaldehyde emission level grade of European Standards.



Made with Scalper Technology: Stringent manufacturing standards and the latest equipment make these boards technically superior. The boards undergo 128 points quality check during the manufacturing, to ensure unmatched product quality.




Cost Effective All-rounder: Pdecor Pre Laminated MDF is suitable for diverse applications. It is formable, chipping-free, easily moulded, and cost effective, making it a highly sought after product in the interior solutions industry.



Resistance to Borers and Termites: Pdecor Pre Laminated MDF Boards are highly resistant to termites and borers, ensuring greater durability.

Ulti mate perfection




FABRICANO

























7107 CAMBRIC IVORY

7109 CAMBRIC BLACK ₀₄









META OAK (DARK) 06





abode with diversity and durability









SAP WALNUT (LIGHT) 7112

SAP WALNUT (DARK) 7113





BARRET WOOD (DARK) 08 BARRET WOOD (LIGHT) 7114 7115








7116

IMPERIAL WALNUT (GOLDEN)















Bizarre Exorbitance

11

7118

MANSOL WALNUT 12

WOODCANO




designs that accentuate your vogue



You can't go wrong by infusing a touch of floral beauty into your space and these articles help you achieve that.








CHOCO WOOD




NEOTERIC OAK (LIGHT) 7121







7123



7124 ROLEX



7125 **WOOD BURST**



WOOD BURST (DARK) 14 7126







SENSATIONAL

Give yourself the gift of exotic aesthetic pleasure with this exclusive collection of that gives the option of experiencing textured finishes like the Magic Cross.







MANGFALL BEECH 7130







TWIST LINE DARK 7134







BAVERIAN BEECH 7132



7135 NATURAL TEAK



OXFORD CHERRY 18 7136

experience unparallel sophistication





Uplift your décor's aesthetics effortlessly with Sleek design that come in various sizes and finishes.








MOLDEA AKAZIA 7138







NAUGHTY WALNUT



GOLDEN WALNUT 7141




7142 SAND CROSS LINE




CHOCO CROSS LINE 20 7143
























7150







KHAYA MAHAGONY

SAPELI

MAHAGONY ₂₆







Uplift your décor's aesthetics effortlessly with Sleek design that come in various sizes and finishes.














7158 NATURAL STONE

EMTRADOR 28 7159

7155

GALAXY STONE (DARK)





7160 **CAMBRIC LIGHT**









Bizarre Exorbitance

7161

HAZEL CAMBRIC 30






premium wooden skin toned laminates illustrate and craft next generation abode with diversity and durability







1002 ULTRA WHITE 32



TECHNICAL SPECIFICATIONS					
SI No.	Test	Unit	Pioneer MDF Pre-Laminated MDF Board		
	Grade / Type		Exterior/ Grade I	Interior/ Grade II	PDHMR
1.	Density	Kg/m³	500-900	500-900	500-900
	Variation from mean Density	%	±10	±10	±10
2.	Moisture Content	%	5-10	5-10	5-10
	Variation from mean moisture content		±3	±3	±3
3.	Water absorption				
	a. After 2 hr soaking	%	6.0	9.0	4-6
	b. After 24 hr soaking		12	18	6-10
4.	Thickness Swelling after 24 hrs soaking	%	4	7	2-4
5.	Modulus of rupture				
	a. Up to 20 mm thickness	N/mm²	28	28	30
	b. above 20 mm thickness		25	25	28
6.	Modulus of elasticity				
	a. Up to 20 mm thickness	N/mm²	2800	2800	3000
	b. above 20 mm thickness		2500	2500	2800
7.	Internal Bond Dry	N/mm²			
	a. Up to 20 mm thickness		0.90	0.80	1.5
	b. above 20 mm thickness		0.80	0.70	1.4
8.	Internal Bond after AWR*	N/mm²	0.30	N/A**	0.3
9.	Screw withdrawal strength				
	a. Face	_ N	1500	1500	2000
	b. Edge (> 12.0 mm)		1250	1250	1500
10.	Abrasion Resistance	Revolutions			
	a. Type-I		1000	1000	1000
	b. Type-II		450	450	450
	c. Type-III		250	250	250
	d. Type-IV		75	75	75

AWR* = Accelerated Water Resistance

N/A** = Not Applicable

KEY FEATURES OF PRELAMINATED MDF BOARD

- P Décor MDF boards are made of 100% eucalyptus wood for higher density to making them ideal for polishing and painting.
- 8 head sander to insure perfectly calibrated panel surface and thickness.
- $\bullet\,$ Uniform density properties allow freedom from knots and twists.
- Smooth surface, with uniform density and high internal bond, make it ideal for Carving, Routing, Painting and Lacquering.
- Available in exterior and interior grades and in variants of single-sided and double-sided laminations.
- Easy workability & highly economical.
- $\bullet\,$ P Décor MDF boards are produced from 100% eco-friendly & agro-forestry wood.

Perspective IN THICKNESS OF 1.9MM TO 25 MM IN INTERIOR, EXTERIOR AND PDHMR A New A New Colour















